



Class tonda 260

IP 65 IK 10 20J xx9 **CE**

Diffusore in policarbonato. Guarnizione in silicone. Lampade dim. max: E27 128 mm Ø 48 mm.


Polycarbonate diffuser. Silicone gasket. Lamp max. dim: E27 128 mm Ø 48 mm.

Diffuseur en polycarbonate. Joint en silicone. Lampes dim. max: E27 128 mm Ø 48 mm.



= 10

	Specif.	Col.	Opal.	Semitrasp.	
LED 1950 lm 18W real lm 1223 Opal. 1658 Semitr.	CL.II	○ ● ■	LL591P1□ LL591P2□ LL591PG□	LL592P1□ LL592P2□ LL592PG□	
LED 1950 lm 18W + LED Em. - 180 lm real lm 1223 Opal.	CL.II	○ ● ■	LL591B1□ LL591B2□ LL591BG□		
LED 1950 lm 18W real lm 1223 Opal.		○ ● ■	LS591P1□ LS591P2□ LS591PG□		
LED 1950 lm 18W + LED Em. - 180 lm real lm 1223 Opal.	CL.II	○ ● ■	LS591B1□ LS591B2□ LS591BG□		
LED 1950 lm 18W real lm 1223 Opal.	CL.II	○ ● ■	LL591G1□ LL591G2□ LL591GG□		
LED 1950 lm 18W real lm 1223 Opal.	CL.II	○ ● ■	LL591K1□ LL591K2□ LL591KG□		
LED 1950 lm 18W + LED Em. - 180 lm real lm 1223 Opal.	CL.II	○ ● ■	LL591T1□ LL591T2□ LL591TG□		
			led colour N = (4000K) 3 = (3000K, lm -5%)		
Lamp.	Specif.	Energy	Col.	Opal.	Semitrasp.
E27 max 1x75W CFL 1x15W	CL.II		○ ● ■	LB59121 LB59122 LB5912G	LB59221 LB59222 LB5922G



Nova top tonda 260

IP 44 IK 06 1J xx3 **CE**

Diffusore in vetro acidato. Lampade dim. max: E27 128 mm Ø 48 mm.


Acid-etched glass diffuser. Lamp max. dim: E27 128 mm Ø 48 mm.

Diffuseur en verre acidé. Lampes dim. max: E27 128 mm Ø 48 mm.



= 10

Lamp.	Specif.	Energy	Col.	Vetro/Glass
E27 max 1x75W CFL 1x15W	CL.II		○ ● ■	LB80721 LB80722 LB8072G



Nova ovale 280

IP 44 IK 06 1J xx3 **CE**

Diffusore in vetro acidato. Lampade dim. max: E27 128 mm Ø 48 mm

Acid-etched glass diffuser. Lamp max. dim: E27 128 mm Ø 48 mm

Diffuseur en verre acidé. Lampes dim. max: E27 128 mm Ø 48 mm.



= 14

	Specif.	Col.	Vetro/Glass	
LED 760 lm 6W real output lm 612	CL.I	○ ● ■	LL801F1□ LL801F2□ LL801FG□	
			led colour N = (4000K) 3 = (3000K, lm -5%)	
Lamp.	Specif.	Energy	Col.	Vetro/Glass
E27 max 1x75W CFL 1x15W	CL.II		○ ● ■	LB80121 LB80122 LB8012G

